

TEMPERATURE & HUMIDITY MONITORING SENSOR

Affordable & Easy To Deploy

- 100% Wireless temperature (humidity available) sensor Installs in seconds with no tools needed
- Receive personal alerts via Email & Text Phone call notifications to better protect assets
- SoniCloud Web-based dashboard allows for remote access across any location, from web dashboard or mobile app
- IP-67 Rated, ideal for cold storage environments
- Highly Cost-Effective Easily scales across multiple facilities
- App-based implementation Wizard Easy to setup
- Available w/NIST Certification Maintain Compliance

S-SERIES APPLICATIONS

Data Center



K-12



Healthcare



Food Production



Convenience Stores



Warehouses








Additional App Functions: Enterprise dashboard, active alarm summary, alarm details, network connectivity, configuration, file upload, zone view, and more!


Applications & Industries

Ideal for any commercial refrigeration or ambient room condition monitoring with a wireless application and battery-powered flexibility. Deploys in minutes with mobile installation wizard.

Industries include: Retail grocery and cold chain applications as well as data/server rooms. K-12 for both cold storage and ambient conditions.



S-Series Specifications 76mm x 66mm x 25mm **Dimensions** Weight **Battery Life** 2 Years Communication Method **Operational Temp** 100 meters** (Under normal Operating Conditions) Range Operational -30°C to 60°C Temp Range **Temperature Reading** ± 0.5°C** (Typical) Accuracy **Humidity Reading** ± 3% RH Max** (Typical) Accuracy **Enclosure Ratings** Food Safe ABS Plastic, IP67



Software

- Automate Compliance Reporting
- Instant Reports delivered to your inbox
- Available with or without NIST certificate (prices differ)








- View and respond to your monitoring from anywhere
- Create groups and zones for specific views
- Simple deployment with app-based install wizard

- Excursion reports with instant and historic reporting
- Share with your entire organization simply
- Download as CSV or PDF for easy sharing



SoniLink Hub in a Grocery Store



S-Series Delivers

- Ambient temperature and humidity capture
- Cold storage with ranges from -30° to 60° Celsius
- Two years of fully replaceable battery life
- Leverages two double AA batteries
- Simple peel-and-stick installation to virtually any application

Door Contact Sensor (Optional)

